



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/816,231	03/31/2004	Toshikazu Mochizuki	47434.00057	9143

7590 05/16/2007
Squire, Sanders & Dempsey, L.L.P.
Suite 3100
555 South Flower Street
Los Angeles, CA 90071-2300

EXAMINER

JOHNSON, JONATHAN J

ART UNIT	PAPER NUMBER
----------	--------------

1725

MAIL DATE	DELIVERY MODE
-----------	---------------

05/16/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/816,231	Applicant(s) MOCHIZUKI, TOSHIKAZU	
	Examiner Jonathan Johnson	Art Unit 1725	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 26 February 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-30 and 81-113 is/are pending in the application.
- 4a) Of the above claim(s) 2-11, 13-30, 85, 87-91 and 93 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1, 12, 81-84, 86, 92 and 94-113 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☒ Claim(s) 1-30, 81-113 are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1, 12, 81-84, 86, 92, 94-113 are rejected under 35 U.S.C. 103(a) as being unpatentable over US 3,211,354 (Dugard) in view of US 4,269,343 (Siegel) and US 5,395,046 (Knobbe). Dugard teaches storage adapted to retain the molten solder (figure 1, item 10) capable of being unheated when the device is turned off; and a first handle adapted to couple to a vacuum source and provide a passage within the first handle, which has a opening in the side thereof defining a cavity, to convey the vacuum source to the tip to retrieve the melted solder, the first handle having an trigger actuator and a cavity adapted to releasably receive the storage to retain the melted solder retrieved through the tip positioned (figure 1, vacuum tube); where the cavity can be directly inserted and removed without opening the handle (figure 1, item 22); where the housing has a u-shaped radiation member (figure 1, the profile of the housing); where the longitudinal centerlines of the desoldering channel are aligned (figure 1, vacuum tube). Siegel teaches a heating element disposed between the tip and the storage (figure 2, item 52 and 72) where the heater is disposed between the pointed end of the desoldering tip and the desoldering storage cartridge and surrounding at least a portion of the desoldering channel (figure 2, item 52 and 72). Knobbe teaches the desirability of a removable pistol type handle to control the fluid

Art Unit: 1725

flow (figure 4, item 77). It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the system of Dugard to utilize the heating element disposed between the tip and the storage in order to provide a short tip to grip ratio and utilize less wattage (see Siegel col. 2, ll. 30-60) and further to utilize the removable handle in order to improve its ergonomics (see Knobbe col. 3, ll. 5-25).

Response to Arguments

Applicant argues Dugard does not teach the newly claimed limitation of "handle having an opening in a side thereof defining a cavity." The examiner disagrees. During patent examination, the pending claims must be "given the broadest reasonable interpretation." Applicant always has the opportunity to amend the claims during prosecution, and broad interpretation by the examiner reduces the possibility that the claim, once issued, will be interpreted more broadly than is justified. In re Prater, 415 F.2d 1393, 1404-05, 162 USPQ 541, 550-51 (CCPA 1969). In the instant case, while the examiner agrees that Dugard does not teach an opening at the exterior side of the exterior-most wall of the handle, it is the examiner's position that Dugard teaches the handle having an opening in a interior side of the exterior wall, which defines a cavity.

In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., the opening is at the exterior side of the exterior-most wall of the handle) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the

Art Unit: 1725

specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).


A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jonathan Johnson whose telephone number is 571-272-1177. The examiner can normally be reached on M-Th 7:30 AM-5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Pat Ryan can be reached on 571-272-1292. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1725

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Jonathan Johnson
Primary Examiner
Art Unit 1725

jj